


**Bracelet Trihex**  
**by Alexis**  
**© 2011**




**Materials**


- Triangles Miyuki 10/0 (T)
- Hexagons 10/0 (H)
- 3 mm round beads (R3)
- 5 mm round beads (R5)
- 2 Pressure buttons 6 mm

The bracelet is made with square stitch - tubular and flat.







21. A 4. row of 3 H and the path to the next step




22. 6 H




23. 3 H




24. Two more rows of H and the connection




25. Adding the R5




26. Strengthening and the path to the next step




27. Two more rows of H




28. 1 T




29. 1 T



30. Connect 6 T to make a circle (like step 6)



31. Repeat step 8 – 12 and connect the first T of each row to the H. Go on with step 14 until you reach the length of your bracelet minus the closure.



32. The closure: add 5 rows of H at the beginning and the end of the bracelet. The pressure buttons are added by sewing through the H with a red dot and the holes of the buttons. Take care to add the opposite halves to the underside of the opposite end. Well, it has happened to me that I added them to the wrong side, that's why I added this warning.

Copyright: Alexis <http://alexis.ohost.de>

You may use these directions to create your own jewelry, which may be sold for pin money or given away as a gift - but mass production is not allowed. Please credit me as the designer and include my homepage address. Don't use these instructions for a class without asking first. Don't copy these instructions (even parts of it), don't sell them or put them on another homepage.